

# TEALwash

## Features and Benefits

Now there is no need for workers out in the field to put up with inadequate 'wet wipes' or cold water when the **TEALwash** range provides HOT WATER washing wherever they are.

TEALwash TW12 and TW24 for motor vehicles.



**REAL HAND HYGIENE:** The unique 7-jet spray head means a thorough handwash under **hot running water** always at the ideal temperature of 45°C +/-2°C. with thermistor control.

**FINGER TIP OPERATION.** **No messy taps** to collect grease and dirt- just a flip tap to operate with your finger tip.

The unique low pressure spray head also means a dramatic increase in the number of hand washes; more than **twenty** - twelve second washes, from each filling of the 5 litre water tank.

**DESIGNED AND MADE TO LAST:** Bowl, water tank and lid are double skinned and moulded in high impact polyethylene; your assurance of toughness and durability and better insulation for the hot water. TEALwash is robust enough to be mounted inside or outside the vehicle.

**EASY TO FILL AND EMPTY:** Large opening lid for quick top-up with clean water, with bowl closed or open. Close the bowl after washing and the waste water drains away.

**FULLY AUTOMATIC CONTROL - NO** separate switch to fit and electronic battery quality sensing, means total **Battery Safety.**

### For Motor Vehicles.

**TEALwash TW 12 Red label for 12 Volt**  
**TEALwash TW 24 Blue Label for 24 Volt**

- 1) No drain on power
- 2) Operates only when battery is fully charged and engine is running.
- 3) 'NO WATER' safety lock out feature.
- 4) Fast heating time. 3-4 hot washes ready in about 15 minutes from cold.
- 5) E-marked to meet European EMC Automotive Directive 95/54/EC



# Teal Compact Classic

## Features and Benefits

Based on the very popular TEAL Compact unit, the all new Compact Classic combines the advantages of an external brushed stainless steel finish with the latest TEAL electronic control that has been so highly successful in other TEAL vehicle Units.

It also allows washing under hot running water that is tightly temperature controlled to give the most hygienic and comfortable wash. The multi jet spray tap head with finger tip control, ensures an even spread of water and a excellent wash can be achieved in ten seconds using only a wine glass full of water.

There is no wasteful mixing of hot and cold water and no need to fill the bowl. It is not for nothing the TEAL units are the 'Best hand wash in the World'.

Note too that all TEAL units for motor vehicles including Compact Classic comply with the European EMC Automobile Directive 95/54/EC.

## Technical Specification

### COMPACT CLASSIC CCLB12 & CCLB24 Specification

Weight Empty 3.6Kg, Weight Full 7.4Kg

Capacity 3.8 litres. (3.1 litres usable)

CCLB12 (red label) 12 Volt, 180 watt/15 amp

CCLB24 (blue label) 24 Volt, 250 watt/15amp

Water temperature 45°C +/- 2°C after 20 minutes vehicle running time.

15 ten second washes per filling.

### Dimensions

Width 290mm

Height 350mm

Depth closed 210mm

Depth open 360mm

TEAL reserve the right to make detail changes in the specification without prior consultation.



# Teal Handeman

## Features and Benefits

The NEW Slim-line HANDEMAN® is entirely **self-contained** and 25% smaller than any other.

HANDEMAN HM12 & HM24 for Motor Vehicles.

HANDEMAN needs NO separate waste container and NO waste water tubing. Its unique Waste-Safe retains all the dirty water which can be emptied when the fresh water is replenished.

Even so your HANDEMAN will give up to TEN generous 12 second hot washes per filling.



### Do you need a specialist to install HANDEMAN®?

NO. You can fit it inside or outside a vehicle on any convenient vertical surface. We supply a complete fitting kit and clear instructions. All you need to find is enough 4mm (35amp) cable to connect to the positive and negative battery terminals through the fuse holder supplied. No switch either, HANDEMAN® is fully automatic.

### Will it drain the battery?

No, HANDEMAN® is battery safe. It senses the voltage at the vehicle battery and only starts heating when the engine is running and there's enough power to spare at the alternator.

By the way, HANDEMAN® also complies with European EMC Automobile

Directive 95/54/EC.

### What if the water tank is empty?

In the unlikely event of a completely empty water tank, HANDEMAN® has a unique 'no water' safety feature that cuts the heater and flashes a red warning light. Simply fill up again and reset and you're back in business.

### What about weight- an important consideration with operators?

HANDEMAN only weighs 5.3 Kg even when full- more than 30% lighter than any other model.



### Is there a HANDEMAN that can be used from a cigar lighter?

Yes. The HANDEMAN HMP12 is fitted with a coiled cable and the correct plug for the cigar lighter socket. It is ideal for 'in cab' use or for a private car or estate. It comes with a carrying handle and can stand on a flat surface. Heating time is longer than other models (45 minutes approx.).

HMP12 (Purple Label) 90watt, 8.5amps at 12 Volts.

HANDEMAN is a Registered Design, No 3020652.

Handeman is a Registered Trade Mark, No.2387108

## Technical Specification

### HANDEMAN HM12 & HM24 Specification

Weight Empty: 3kg, Weight Full: 5.3kg  
Max Capacity: 2.5litre (2 litre usable)  
Waste-Safe capacity: 2 Litres  
HM12 (Red label) 180watt, 15 amps at 12 Volts.  
HM24 (Blue Label) 240watt, 10 amps at 24 Volts.

Width 300mm  
Height 325mm  
Depth closed 175mm, Depth open 325mm

